



BLUEBERRY

Innovations Infinity.....

LINE MATERIALS (UG/OH)



ISO 9001:2015 CERTIFIED

**PRODUCT
CATALOG
2024**



BLUEBERRY
Innovations Infinity....

LINE MATERIAL CATALOG (OH / UG)





BLUEBERRY
Innovations Infinity.....

INTRODUCTION

As the Managing Director of our company, I am honoured to address you and share our commitment to delivering exceptional quality based on our extensive prior experience.

I am delighted to present to you our latest brochure, showcasing the wide range of electrical products and services offered by our esteemed company. As the Managing Director, I take immense pride in the exceptional quality and innovation that our team consistently delivers.

At our company, we understand the importance of reliable and efficient electrical solutions in today's fast-paced world. With our cutting-edge technology and expertise, we strive to meet the diverse needs of our customers across various industries.

Our brochure provides a comprehensive overview of our product portfolio, including state-of-the-art electrical equipment, energy-efficient solutions, and customized services tailored to meet your specific requirements. We have carefully curated this collection to ensure that it encompasses the latest advancements in the field, guaranteeing optimal performance and durability.

Furthermore, our team of highly skilled professionals is dedicated to providing exceptional customer service and technical support. We believe in building long-lasting relationships with our clients, based on trust, transparency, and mutual success.

As you browse through our brochure and profile, I encourage you to explore the range of projects we have successfully completed, highlighting our expertise in various sectors. From residential and commercial installations to large-scale industrial projects, we have consistently delivered excellence and exceeded expectations.

I would like to express my gratitude to our loyal customers for their continued support and trust in our brand. It is through your valuable feedback and collaboration that we have been able to grow and thrive in this competitive industry.

I invite you to discover the world of possibilities that our Line material solutions offer. Whether you are seeking reliable products, innovative solutions, or expert advice, our team is ready to assist you every step of the way.

Thank you for considering our company as your preferred electrical partner. We look forward to serving you and exceeding your expectations.

Line Product Catalog
(OH & UG Material)

ABC Products (Joints & Lugs)



1. Bi Metal Lugs

Rating: MV
Material: Aluminium & copper.
Description: Various ranges to suit all aluminium conductor sizes.
Complies with: D-DT-3024
Product Group: BBE
Part Number: BBLM-1004

ABC Products (Connectors)



2. Pg Clamp

Rating: MV
Material: Aluminium.
Description: Variety of AL / AL and CU / AL PG clamps.
Complies with: D-DT-3058
Product Group: BBE
Part Number: BBLM-1006

ABC Products (Strain Clamps)



3. Strain Clamp Insulated Neutral

Rating: LV 1 000V
Material: Aluminium & plastic.
Description: Strain clamp for insulated neutral.
Complies with: D-DT-3024
Product Group: BBE
Part Number: BBLM-1008



4. Strain Clamp

Rating: LV 1 000V
Material: Aluminium & plastic.
Description: Used for stringing ABC conductor.
Complies with: D-DT-3024
Product Group: BBE
Part Number: BBLM-1009



5. Airdac Strain Clamp 10-16

Rating: LV 1 000V
Material: Thermoplastic.
Description: 10-16mm Airdac strain clamp.
Complies with: D-DT-3067
Product Group: BBE
Part Number: BBLM-1010

Line Product Catalog (OH & UG Material)



6. German ABC Strain Clamp

Rating: LV 1 000V
Material: Galvanised steel & rubber.
Description: Strain clamp for German type ABC 4x25mm² to 4x120mm².
Complies with: Eskom
Product Group: BBE
Part Number: BBLM-1011



7. Strain Assembly

Rating: LV 1 000V
Material: Cast aluminium & plastic.
Description: Strain assembly for ABC strain clamp & CS 10 bracket.
Complies with: Eskom
Product Group: BBE
Part Number: BBLM-1012

Insulators



8. Line Post EP 472

Rating: 22kV / 4kN
Material: Porcelain.
Description: Capless line post insulator creepage distance 650mm.
Complies with: D-DT-3017
Product Group: BBE
Part Number: BBLM-1019



9. Line Post 864mm

Rating: 24kV / 4kV & 10kN capped
Material: Porcelain.
Description: Creepage distance 864mm (coastal).
Complies with: D-DT-3017
Product Group: BBE
Part Number: BBLM-1020



10. Line Post EP 480

Rating: 33kV / 4kN capped
Material: Porcelain.
Description: Creepage distance 786mm.
Complies with: Eskom
Product Group: BBE
Part Number: BBLM-1021

Line Product Catalog
(OH & UG Material)



11. Line Post 1296

Rating: 36kV / 4kV & 10kN capped
Material: Porcelain.
Description: Creepage distance 1275mm (coastal).
Complies with: D-DT-3189
Product Group: BBE
Part Number: BBLM-1022



12. Porcelain Insulator

Rating: 11kV / 70kN
Material: Porcelain.
Description: Ball & socket.
Complies with: Eskom
Product Group: BBE
Part Number: BBLM-1023



13. Long Rod 132kV

Rating: 132kV / 120kN
Material: Silicone.
Description: 16mm Ball & socket creepage distance 4495mm.
Complies with: D-DT-7014
Product Group: BBE
Part Number: BBLM-1024

Insulators



14. Center Rotating Isolator

Rating: 11kV, 22kV, 33kV
Material: Porcelain.
Description: Rotating isolator.
Complies with: Eskom
Product Group: BBE
Part Number: BBLM-1025



15. Load Break Rocking Isolator

Rating: 11kV, 22kV, 33kV
Material: Porcelain.
Description: Load break.
Complies with: Eskom
Product Group: BBE
Part Number: BBLM-1026



16. Off Load Knife Switch

Rating: 11kV, 22kV, 33kV
Material: Porcelain.
Description: Knife switch.
Complies with: Eskom
Product Group: BBE
Part Number: BBLM-1027

Line Product Catalog (OH & UG Material)



17. Porcelain Dropout

Rating: 11kV, 22kV, 33kV
Material: Porcelain.
Description: Cut out, drop out.
Complies with: Eskom
Product Group: BBE
Part Number: BBLM-1028



18. Indoor Knife Switch

Rating: 11kV
Material: Porcelain.
Description: Knife switch.
Complies with: Eskom
Product Group: BBE
Part Number: BBLM-1029



19. Load Rod + Arcing

Rating: 22kV
Material: Silicone.
Description: Load rod complete with arcing horn.
Complies with: Eskom
Product Group: BBE
Part Number: BBLM-1032



20. Glass Disc Insulator

Rating: 11kV, 70kV, 120kV
Material: Glass.
Description: Glass disc 11kv ball & socket.
Complies with: Eskom
Product Group: BBE
Part Number: BBLM-1034



21. Pin Insulator 33kV

Rating: 33kV
Material: Porcelain.
Description: 33kV pin insulator.
Complies with: Eskom
Product Group: BBE
Part Number: BBLM-1035



22. Pin Insulator 11kV

Rating: 11kV
Material: Porcelain.
Description: 11kV pin insulator HT1014/40.
Complies with: Eskom
Product Group: BBE
Part Number: BBLM-1036

Line Product Catalog (OH & UG Material)



23. Long Rod 11kV

Rating: 11kV
Material: Silicone.
Description: Load rod ball & socket.
Complies with: Eskom
Product Group: BBE
Part Number: BBLM-1033



24. Long Rod 33kV

Rating: 33kV / 70kN
Material: Silicone.
Description: Clevis & tongue long rod insulator.
Complies with: D-DT-3190
Product Group: BBE
Part Number: BBLM-1037



25. Long Rod 22kV

Rating: 22kV / 70kN
Material: Silicone.
Description: Clevis & tongue long rod insulator. Creepage distance 604mm (inland). Creepage distance 760mm (coastal).
Complies with: D-DT-3042
Product Group: BBE
Part Number: BBLM-1038



26. Long Rod 66/88kV

Rating: 66kV / 88kV / 120kN / 16mm BS
Material: Silicone.
Description: For use on 66kV & 88kV lines. Insulator tested at 88kV (KIPTS & SABS). Sufficient insulation for live line teams at 66kV.
Complies with: D-DT-7029
Product Group: BBE
Part Number: BBLM-1039



27. Guy Strain Insulator

Rating: 197kN
Material: Fibre glass / coated silicone.
Description: Used with the stay assembly.
Complies with: D-DT-3144
Product Group: BBE
Part Number: BBLM-1040



28. Station Post

Rating: 22kV to 132kV
Material: Silicone rubber.
Description: Mounting base 76x4 PCD & 127x4 PCD. All insulators tested at KIPTS.
Complies with: Eskom
Product Group: BBE
Part Number: BBLM-1041

Line Product Catalog (OH & UG Material)



29. Line Post

Rating: 22kV & 33kV / 10kN
Material: Silicone rubber.
Description: 10kN Line post insulator.
Complies with: D-DT-3017 (760) & D-DT-3189 (1145)
Product Group: BBE
Part Number: BBLM-1042



30. Horizontal Line Post

Rating: 66kV & 132kV
Material: Silicone rubber.
Description: Supplied with trunnion clamp & gain base.
Complies with: D-DT-7031 (2242) & D-DT-7013 (4495)
Product Group: BBE
Part Number: BBLM-1043



31. Line Post EP 965

Rating: 22kV / 10kN
Material: Porcelain.
Description: Uncapped insulator. Creepage distance 750mm.
Complies with: Eskom
Product Group: BBE
Part Number: BBLM-1044



32. Porcelain Station Post

Rating: 66kV & 132kV
Material: Porcelain.
Description: 66kV & 132kV Porcelain. Station post insulators.
Complies with: D-DT-6232 (2310) & D-DT-6230 (4620)
Product Group: BBE
Part Number: BBLM-1046



33. MV Stay 0522

Rating: 11kV, 22kV & 33kV
Material: Porcelain.
Description: MV stay insulator. Complies with D-DT-3144.
Complies with: D-DT-3144
Product Group: BBE
Part Number: BBLM-1047



34. LV Stay 1075

Rating: 6.6kV & 11kV
Material: Porcelain.
Description: Used in stay assemblies.
Complies with: D-DT-3144
Product Group: BBE
Part Number: BBLM-1048

Line Product Catalog (OH & UG Material)



35. Line Post EP 365

Rating: 11kV & 22kV
Material: Porcelain.
Description: Steel capped insulator. Creepage distance 432mm.
Complies with: Eskom
Product Group: BBE
Part Number: BBLM-1045



36. Surge Arrestor

Rating: 11kV, 22kV & 33kV / 10Ka
Material: Silicone rubber.
Description: Distribution class surge arrestors.
Complies with: D-DT-3100
Product Group: BBE
Part Number: BBLM-1050



37. Neutral Surge Arrestor

Rating: 6.6kV / 10Ka
Material: Silicone rubber.
Description: Neutral arrestor for transformers.
Complies with: D-DT-3088
Product Group: BBE
Part Number: BBLM-1051



38. 22kV Silicone Rubber Cut-out (Inland)

Rating: 22kV
Material: Silicone rubber.
Description: For inland use. Creepage 650mm. Complies in all respects with Eskom specifications. Fully type tested at Kema test facility in Prague.
Complies with: D-DT-3086
Product Group: BBE
Part Number: BBLM-1052

Line Product Catalog
(OH & UG Material)

Surge Arrestors



52. Cut Out Fuse Tube

Rating: 100A
Material: Brass / silver. plating / fibreglass / horn fibre.
Description: Used with cut out.
Complies with: D-DT-3086
Product Group: BBE
Part Number: BBLM-1053



53. Cut Out Solid Link

Rating: 200A
Material: Brass / silver plating.
Description: Used with cut out.
Complies with: D-DT-3086
Product Group: BBE
Part Number: BBLM-1054



54. Silicone Rubber Station Class Surge Arrestor

Rating: 11kV to 132kV
Material: Silicone rubber.
Description: Used in sulstation.
Complies with: D-DT-6214 (Sa32) & D-DT-6210 (Sa132)
Product Group: BBE
Part Number: BBLM-1055

Line Hardware



55. D Shackle 120kN

Rating: 120kN
Material: Forged steel (hot dipped galvanised).
Description: Used with long rods.
Complies with: D-DT-7017
Product Group: BBE
Part Number: BBLM-1056



56. Eye Nut 40kN & 70kN

Rating: 40kN & 70kN
Material: Forged steel (hot dipped galvanised).
Description: M16 and M20 sizes.
Complies with: D-DT-3004
Product Group: BBE
Part Number: BBLM-1057



57. Tower Hook

Rating: 70kN
Material: Forged steel (hot dipped galvanised).
Description: Used with end socket on insulator.
Complies with: Eskom
Product Group: BBE
Part Number: BBLM-1058


Line Product Catalog (OH & UG Material)

Line Hardware



58. Clevis Tongue

Rating: 120kN
Material: Forged steel
 (hot dipped galvanised).
Description: -
Complies with: D-DT-6084
Product Group: BBE
Part Number: BBLM-1059



59. Clevis Ball

Rating: 120kN
Material: Forged steel
 (hot dipped galvanised).
Description: Ball 16mm.
Complies with: D-DT-6059
Product Group: BBE
Part Number: BBLM-1060



**60. Cradle Suspension
Clamp 40kN & 70kN**

Rating: 40kN & 70kN
Material: Aluminium.
Description: Range
 5-18mm for 40kN.
 Range 12-26mm for 70kN.
Complies with: D-DT-3008
Product Group: BBE
Part Number: BBLM-1061



61. Clevis Thimble CAB100

Rating: 70kN
Material: Aluminium
 alloy.
Description: Used with
 pre-formed dead end to insulator.
Complies with: D-DT-3007
Product Group: BBE
Part Number: BBLM-1062



62. Socket Clevis 120kN

Rating: 120kN
Material: Forged steel
 (hot dipped galvanised).
Description: Socket clevis.
Complies with: D-DT7-021
Product Group: BBE
Part Number: BBLM-1063



63. Socket Tongue 120kN

Rating: 120kN
Material: Forged steel
 (hot dipped galvanised).
Description: Socket tongue
 16mm.
Complies with: D-DT-6061
Product Group: BBE
Part Number: BBLM-1064

**Line Product Catalog
(OH & UG Material)**

Line Hardware



64. Ball Eye Oval 120kN

Rating: 120kN
Material: Forged steel
 (hot dipped galvanised).
Description: -
Complies with: D-DT-7008
Product Group: BBE
Part Number: BBLM-1065




65. Pistol Grip 40kN & 70kN

Rating: 40kN & 70kN
Material: Aluminium.
Description: Conductor
 range 5-16.5mm (2 - bolt).
 Conductor range 5.1-20.5mm
 (3 - bolt).
 Conductor range 19-30mm
 (3 - bolt).
Complies with: D-DT-7022
Product Group: BBE
Part Number: BBLM-1066



66. PIGTAIL BOLT 10kN

Rating: 10kN
Material: Mild steel
 (hot dipped galvanised).
Description: Available in:
 M16x380mm
 M10x280mm
 Range 12-26mm for 70kN.
Complies with: D-DT-3003
Product Group: BBE
Part Number: BBLM-1067



67. Eyebolt 70kN

Rating: 70kN
Material: Mild steel
 (hot dipped galvanised).
Description: M20 x 250mm
 complete with nuts & washers.
Complies with: D-DT-3005
Product Group: BBE
Part Number: BBLM-1068



68. Question Mark Bracket

Rating: -
Material: Mild steel
 (hot dipped galvanised).
Description: Mounting of
 cut out to wooden crossarms.
Complies with: D-DT-3086
Product Group: BBE
Part Number: BBLM-1069



69. Pole Top Bracket

Rating: -
Material: Mild steel
 (hot dipped galvanised).
Description: Mounting of
 line post insulators
Complies with: D-DT-3046
Product Group: BBE
Part Number: BBLM-1070

Line Product Catalog
(OH & UG Material)

Line Hardware



70. L Bracket

Rating: -
Material: Mild steel
(hot dipped galvanised).
Description: Mounting of
cut out to steel crossarms.
Complies with: D-DT-3086
Product Group: BBE
Part Number: BBLM-1071



71. Threaded Rod

Rating: -
Material: Mild steel
(hot dipped galvanised).
Description: Available in
various sizes.
Complies with: D-DT-3015
Product Group: BBE
Part Number: BBLM-1072



72. Spindle

Rating: -
Material: Mild steel
(hot dipped galvanised).
Description: Available in:
M20x50mm
M20x300mm
Complies with: D-DT-3050
Product Group: BBE
Part Number: BBLM-1073



73. Stay Rod Adjustable

Rating: 135kN
Material: Mild steel
(hot dipped galvanised).
Description: Adjustable
stay rod M24x2.4m &
M20 x 2.4m
Complies with: D-DT-7023
Product Group: BBE
Part Number: BBLM-1074



74. Stay Rod
Non-adjustable

Rating: 34kN & 96kN
Material: Mild steel
(hot dipped galvanised).
Description: Non-adjustable
stay rod 34kN M12x1.5m
96kN M20x2.0m
Complies with: D-DT-3011
Product Group: BBE
Part Number: BBLM-1075



75. Thimble 16mm

Rating: -
Material: Mild steel
(hot dipped galvanised).
Description: Used with stay
assembly.
Complies with: D-DT-3026
Product Group: BBE
Part Number: BBLM-1076


Line Product Catalog (OH & UG Material)

Line Hardware



76. Base Plate (Square)

Rating: -
Material: Mild steel
(hot dipped galvanised).
Description: Available in:
380x80x6mm M16
450x450x6mm M20
Complies with: D-DT-3172
Product Group: BBE
Part Number: BBLM-1077



77. Base Plate (Octagon)

Rating: -
Material: Mild steel
(hot dipped galvanised).
Description: Available in:
300x300x6mm M12
375x340x6mm M20
Complies with: D-DT-3172
Product Group: BBE
Part Number: BBLM-1078



78. Base Plate (Round)

Rating: -
Material: Mild steel
(hot dipped galvanised).
Description: Available in:
350x6mm
Complies with: D-DT-3172
Product Group: BBE
Part Number: BBLM-1079



79. Crosby Clamp

Rating: -
Material: Forged steel
(hot dipped galvanised).
Description: Various sizes
available.
Complies with: D-DT-7032
Product Group: BBE
Part Number: BBLM-1080



80. Bonding Clip

Rating: -
Material: Mild steel
(hot dipped galvanised).
Description: M20 bonding
clip used with insulators.
Complies with: D-DT-3033
Product Group: BBE
Part Number: BBLM-1081



81. D Iron

Rating: -
Material: Steel
(hot dipped galvanised).
Description: D Iron used for
the SO 5 shackle insulator
Complies with: D-DT-3096
Product Group: BBE
Part Number: BBLM-1082

Line Product Catalog
(OH & UG Material)

Line Hardware




82. LV Fuse Switch Bracket

Rating: -
Material: Steel
 (hot dipped galvanised).
Description: Used for the mounting of the Mosdorpher.
Complies with: D-DT-3182
Product Group: BBE
Part Number: BBLM-1083



83. Crossarm

Rating: -
Material: Steel
 (hot dipped galvanised).
Description: Steel crossarm various sizes - 1.3m, 2m & 2.6m. A frames available as well.
Complies with: D-DT-3020 / D-DT-3022
Product Group: BBE
Part Number: BBLM-1084



84. Pigtail Screw

Rating: -
Material: Steel
 (hot dipped galvanised).
Description: Pigtail screw 150mm long.
Complies with: D-DT-3120
Product Group: BBE
Part Number: BBLM-1085



85. Spindle

Rating: -
Material: Steel
 (hot dipped galvanised).
Description: Used for the mounting of insulators sizes ratchet & regular type M20x50mm / M20x300mm
Complies with: D-DT-3050
Product Group: BBE
Part Number: BBLM-1086



86. Coach Screw

Rating: -
Material: Steel
 (hot dipped galvanised).
Description: Available in: M12x75mm coach screw
Complies with: D-DT-3090
Product Group: BBE
Part Number: BBLM-1087



87. The Strap/ Bracing Strap

Rating: -
Material: Steel
 (hot dipped galvanised).
Description: For the mounting of crossarms, slotted hole 701x50x6mm
Complies with: D-DT-3031
Product Group: BBE
Part Number: BBLM-1088

Line Product Catalog
(OH & UG Material)

Line Hardware



88. The Strap / Bracing Strap

Rating: -
Material: Steel
(hot dipped galvanised).
Description: Used for the mounting of crossarm 910x50x6mm hole.
Complies with: D-DT-3031
Product Group: BBE
Part Number: BBLM-1089



89. Pistol Grip

Rating: 70kN
Material: Aluminium.
Description: 5-16mm dia. pistol grip 2 bolt.
Complies with: D-DT-7022
Product Group: BBE
Part Number: BBLM-1090



90. Pigtail Ball Hook

Rating: 70kN
Material: Drop forged steel (hot dipped galvanised).
Description: Adaptor to be used with socket on insulator.
Complies with: Eskom
Product Group: BBE
Part Number: BBLM-1091



91. Lead Head Spindle

Rating: -
Material: Steel
(hot dipped galvanised) / lead.
Description: Lead head spindle for mounting of pin insulators.
Complies with: Eskom
Product Group: BBE
Part Number: BBLM-1092



92. T Crossarm Assembly

Rating: -
Material: Steel
(hot dipped galvanised).
Description: Intermediate "T" crossarm 600x50x506mm
Complies with: D-DT-3001
Product Group: BBE
Part Number: BBLM-1093



93. Nema Bracket

Rating: -
Material: Steel
(hot dipped galvanised).
Description: Used for mounting drop out on wood / steel crossarms.
Complies with: Eskom
Product Group: BBE
Part Number: BBLM-1094

Line Product Catalog
(OH & UG Material)

Line Hardware



94. YP Palm Clamp

Rating: 132kV
Material: BBLM6.
Description: Substation clamps.
Complies with: Eskom
Product Group: BBE
Part Number: BBLM-1095



95. STP Clamp

Rating: 132kV
Material: BBLM6.
Description: Substation clamps.
Complies with: Eskom
Product Group: BBE
Part Number: BBLM-1096



96. YTYPE Stud Clamp

Rating: 132kV
Material: BBLM6.
Description: Substation clamps.
Complies with: Eskom
Product Group: BBE
Part Number: BBLM-1097



97. KCP Support Clamp

Rating: 132kV
Material: BBLM6.
Description: Substation clamps.
Complies with: Eskom
Product Group: BBE
Part Number: BBLM-1098



98. PTHRU Support Clamp

Rating: 132kV
Material: BBLM6.
Description: Substation clamps.
Complies with: Eskom
Product Group: BBE
Part Number: BBLM-1099



99. PG Clamp ALU2B

Rating: 132kV
Material: BBLM6.
Description: PG clamp.
Complies with: Eskom
Product Group: BBE
Part Number: BBLM-1100

Line Product Catalog
(OH & UG Material)

Line Hardware



100. PG Clamp ALU3B

Rating: 132kV
Material: BBLM6.
Description: PG clamp.
Complies with: Eskom
Product Group: BBE
Part Number: BBLM-1101



101. PG Clamp CU 2B

Rating: 132kV
Material: BBLM6.
Description: PG clamp copper.
Complies with: Eskom
Product Group: BBE
Part Number: BBLM-1102



102. KC Clamp

Rating: 132kV
Material: BBLM6.
Description: Substation clamp.
Complies with: Eskom
Product Group: BBE
Part Number: BBLM-1103



103. 2YC Palm Clamp

Rating: 132kV
Material: BBLM6.
Description: Substation clamp.
Complies with: Eskom
Product Group: BBE
Part Number: BBLM-1104



104. Rigid Spacer

Rating: 132kV
Material: BBLM6.
Description: Substation clamp.
Complies with: Eskom
Product Group: BBE
Part Number: BBLM-1105



105. Terminal Lug Copper

Rating: 132kV
Material: BBLM6.
Description: Substation clamp.
Complies with: Eskom
Product Group: BBE
Part Number: BBLM-1106

Line Product Catalog
(OH & UG Material)

Line Hardware



106. 3YC Clamp Palm

Rating: 132kV
Material: BBLM6.
Description: Substation clamp.
Complies with: Eskom
Product Group: BBE
Part Number: BBLM-1107



107. SPC Clamp

Rating: 132kV
Material: BBLM6.
Description: Substation clamp.
Complies with: Eskom
Product Group: BBE
Part Number: BBLM-1108



108. TC Clamp

Rating: 132kV
Material: BBLM6.
Description: Substation clamp.
Complies with: Eskom
Product Group: BBE
Part Number: BBLM-1109



109. Forged PG Clamp

Rating: 132kV
Material: Aluminium.
Description: PG clamp.
Complies with: Eskom
Product Group: BBE
Part Number: BBLM-1110



110. Extended PG Clamp

Rating: 132kV
Material: Aluminium.
Description: PG clamp.
Complies with: Eskom
Product Group: BBE
Part Number: BBLM-1111



111. Terminal Connector

Rating: 132kV
Material: BBLM6.
Description: Substation clamp.
Complies with: Eskom
Product Group: BBE
Part Number: BBLM-1112

Line Product Catalog (OH & UG Material)

Line Hardware



112. Terminal Lug Copper

Rating: 132kV
Material: BBLM6.
Description: Substation clamp.
Complies with: Eskom
Product Group: BBE
Part Number: BBLM-1113



113. SSC Clamp Plot Busbar

Rating: 132kV
Material: BBLM6.
Description: Substation clamps.
Complies with: Eskom
Product Group: BBE
Part Number: BBLM-1114



114. Transformer Palm Terminal

Rating: 132kV
Material: BBLM6.
Description: Substation clamp.
Complies with: Eskom
Product Group: BBE
Part Number: BBLM-1115



115. Arching Horn Single Upper

Rating: 132kV
Material: BBLM
Description: 6.
Complies with: Eskom
Product Group: BBE
Part Number: BBLM-1116



116. Trinion Clamp

Rating: 132kV
Material: Aluminium.
Description: Used with stand off insulator.
Complies with: Eskom
Product Group: BBE
Part Number: BBLM-1117



117. Twisted Clevis

Rating: 120kW
Material: Steel.
Description: Twisted clevis.
Complies with: Eskom
Product Group: BBE
Part Number: BBLM-1118

Line Product Catalog
(OH & UG Material)

Line Hardware



118. Chain Link

Rating: 120kW
Material: Steel.
Description: Chain link.
Complies with: Eskom
Product Group: BBE
Part Number: BBLM-1119



119. Ball Oval Eye Hot Line

Rating: 120kW
Material: Steel.
Description: Hot Line.
Complies with: Eskom
Product Group: BBE
Part Number: BBLM-1120



120. Turn Buckle Clevis / Clevis

Rating: 120kW
Material: Steel.
Description: Clevis / clevis.
Complies with: Eskom
Product Group: BBE
Part Number: BBLM-1121



121. Clevis Tongue

Rating: 120kN
Material: Steel.
Description: Clevis tongue.
Complies with: Eskom
Product Group: BBE
Part Number: BBLM-1122



122. D Shackle 70kN

Rating: 70kN
Material: Steel.
Description: D shackle
70kW.
Complies with: Eskom
Product Group: BBE
Part Number: BBLM-1123



123. Vibration Damper

Rating: 132kV
Material: Steel / aluminium.
Description: Vibration damper.
Complies with: Eskom
Product Group: BBE
Part Number: BBLM-1124

Line Product Catalog (OH & UG Material)

Line Hardware



124. Landing Plate

Rating: 120kN
Material: Steel HDG.
Description: Landing plate.
Complies with: Eskom
Product Group: BBE
Part Number: BBLM-1125



125. VYC Yoke Plate

Rating: 120kN
Material: Steel holg.
Description: VYC plate.
Complies with: Eskom
Product Group: BBE
Part Number: BBLM-1126



126. Yoke Plate Triangular

Rating: 120kN
Material: Steel.
Description: Yoke plate.
Complies with: Eskom
Product Group: BBE
Part Number: BBLM-1127



127. EXT Link

Rating: 120kN
Material: Steel HDG.
Description: Extension link.
Complies with: Eskom
Product Group: BBE
Part Number: BBLM-1128



128. Double EXT Link

Rating: 120kN
Material: Steel holg.
Description: Extension link double.
Complies with: Eskom
Product Group: BBE
Part Number: BBLM-1129



129. Yoke Plate Rectangular

Rating: 120kN
Material: Steel holg.
Description: Yoke plate.
Complies with: Eskom
Product Group: BBE
Part Number: BBLM-1130

Line Product Catalog
(OH & UG Material)

Line Hardware



130. SAG Adjuster

Rating: 120kN
Material: Steel holg.
Description: Sag adjuster.
Complies with: Eskom
Product Group: BBE
Part Number: BBLM-1131



131. K Clamp

Rating: 132kN
Material: BBLM6.
Description: Substation clamp.
Complies with: -
Product Group: BBE
Part Number: BBLM-1132

Pre Forms



132. GUG Grip

Rating: -
Material: Mild steel stranded (hot dip galvanised).
Description: For various stay wire sizes 7 / 4 & 3 / 3.35.
Complies with: D-DT-3069
Product Group: BBE
Part Number: BBLM-1133



133. ALU Dead End

Rating: -
Material: Aluminium alloy.
Description: For various conductor size.
Complies with: D-DT-3065
Product Group: BBE
Part Number: BBLM-1134



134. ABC Dead End

Rating: -
Material: Aluminium alloy.
Description: -
Complies with: D-DT-3060
Product Group: BBE
Part Number: BBLM-1135

Line Product Catalog
(OH & UG Material)

Pre Forms




135. Top Tie / Twin Tie

Rating: -
Material: Aluminium alloy.
Description: Used with post insulators.
Complies with: D-DT-3081
Product Group: BBE
Part Number: BBLM-1136



136. Armour Rod

Rating: -
Material: Aluminium.
Description: Various sizes available.
Complies with: D-DT-3064
Product Group: BBE
Part Number: BBLM-1137



137. Side Tie

Rating: -
Material: Aluminium alloy.
Description: Used with post insulator.
Complies with: D-DT-308D
Product Group: BBE
Part Number: BBLM-1138

Compression Fitting



138. Vesacrimp Lug

Rating: 11kW - 33kW
Material: Aluminium.
Description: Aluminium vesacrimp lugs for various conductor sizes.
Complies with: D-DT-3074
Product Group: BBE
Part Number: BBLM-1139



139. Vesacrimp Joint

Rating: 11kV - 33kV
Material: Aluminium.
Description: Aluminium vesacrimp joint for various conductor sizes.
Complies with: D-DT-3098
Product Group: BBE
Part Number: BBLM-1140



140. T Female

Rating: 11kV - 33kV
Material: Aluminium.
Description: Aluminium vesacrimp t-off available for various conductor sizes.
Complies with: D-DT-3153
Product Group: BBE
Part Number: BBLM-1141

Line Product Catalog
(OH & UG Material)

Compression Fitting



141. Auto Joint

Rating: -
Material: Aluminium.
Description: Used for joining cable, no crimping tools required.
Complies with: D-DT-3231
Product Group: BBE
Part Number: BBLM-1142



142. Compressed Dead End

Rating: 120kN
Material: Aluminium.
Description: Used with log rod insulators for 120kN line.
Complies with: D-DT-7000
Product Group: BBE
Part Number: BBLM-1143



143. Full Tension Compression

Rating: 120kN
Material: Aluminium.
Description: Used for ACSR, AAC & AAAC conductor.
Complies with: D-DT-7001
Product Group: BBE
Part Number: BBLM-1144

LV Hardware



144. Fuse 00DIN

Rating: 63A, 80A, 125A & 160A
Material: -
Description: Used in conjunction with Mosdorpher.
Complies with: D-DT-3181
Product Group: BBE
Part Number: BBLM-1145



145. Fuse Switch Holder

Rating: 160A
Material: Plastic.
Description: Mosdorpher fuse switch holder.
Complies with: D-DT-3182
Product Group: BBE
Part Number: BBLM-1146


Line Product Catalog
(OH & UG Material)

Tools



146. Earth Rod

Rating: -
Material: Copper.
Description: Used for earthing sizes available M10, M12, M16 / 1.2m, 1.5m, 1.8m & 2.4m.
Complies with: D-DT-3091
Product Group: BBE
Part Number: BBLM-1147



147. Pole Box

Rating: LV
Material: Copper cable, fibre box.
Description: Pole Boxes (various range available).
Complies with: D-DT-3055
Product Group: BBE
Part Number: BBLM-1148



148. Earth Rod Clamp

Rating: -
Material: Solid brass.
Description: 16mm Earth rod used with the earthing of earth rods.
Complies with: D-DT-3093
Product Group: BBE
Part Number: BBLM-1149



149. Line Tap

Rating: -
Material: Tinned brass.
Description: Split bolt line tap available in various.
Complies with: D-DT-304B
Product Group: BBE
Part Number: BBLM-1153



150. Camelong Clamp

Rating: 1, 2 & 3 ton
Material: -
Description: Used for various types of conductors.
Complies with: Eskom
Product Group: BBE
Part Number: BBLM-1157



151. Copper Lug

Rating: -
Material: Tinned copper.
Description: Available various sizes.
Complies with: D-DT-3102
Product Group: QAG
Part Number: BBLM-1158

Line Product Catalog
(OH & UG Material)

Tools



152. Fuse Links

Rating: 5A - 100A
Material: Copper.
Description: Used with drop-out fuse units.
Complies with: D-DT-3199
Product Group: BBE
Part Number: BBLM-1159



153. Strapping Tool

Rating: -
Material: Steel.
Description: Used for the application of strapping & buckles.
Complies with: Eskom
Product Group: BBE
Part Number: BBLM-1160



154. Buckles

Rating: -
Material: Stainless steel.
Description: Stainless steel buckles available in various sizes 10mm, 12mm, 16mm & 20mm.
Complies with: D-DT-3110
Product Group: BBE
Part Number: BBLM-1161



155. Earth Rod Coupler

Rating: -
Material: Solid brass.
Description: Used to connect couple two earth rods together.
Complies with: 3092
Product Group: BBE
Part Number: BBLM-1162



156. Camelong Clamp

Rating: -
Material: Steel.
Description: Used to pull conductor comes in various sizes.
Complies with: Eskom
Product Group: BBE
Part Number: BBLM-1163



157. Copper Lug

Rating: -
Material: Steel.
Description: Used to show phases available in various colours blue, yellow & red.
Complies with: Eskom
Product Group: BBE
Part Number: BBLM-1164

Line Product Catalog
(OH & UG Material)

Line Hardware



158. Strapping Tool

Rating: Up to 132kV
Material: Fibre glass.
Description: Round telescopic link stick available in 25ft (7.62m) / 30ft (9.14m).
Complies with: D-DT- 12600
Product Group: BBE
Part Number: BBLM-1166



159. Easy Drill Bit

Rating: -
Material: Steel.
Description: Drill bit for easy drill available in various sizes 18mm & 22mm.
Complies with: Eskom
Product Group: BBE
Part Number: BBLM-1168



160. Rubber Gloves

Rating: 1000V, 10V, 20V, 30V, 40kV
Material: Special treated latex.
Description: Used for live line working.
Complies with: D-DT-12005
Product Group: BBE
Part Number: BBLM-1169



161. GOS Base

Rating: -
Complies with: Eskom
Product Group: BBE
Part Number: BBLM-1173



162. Alcalin Tube

Rating: -
Complies with: Eskom
Product Group: BBE
Part Number: BBLM-1174



163. 18 KUA Streen

Rating: -
Complies with: Eskom
Product Group: BBE
Part Number: BBLM-1175

Line Product Catalog
(OH & UG Material)

Tools



164. Lighting Arrester

Rating: -
Complies with: Eskom
Product Group: BBE
Part Number: BBLM-1176



165. GI Clamps

Rating: -
Complies with: Eskom
Product Group: BBE
Part Number: BBLM-1177



166. 45 KVN Insulators
(Disk)

Rating: -
Complies with: Eskom
Product Group: BBE
Part Number: BBLM-1178



167. 11 KV Pin Insulators

Rating: -
Material: Ceramic
Complies with: Eskom
Product Group: BBE
Part Number: BBLM-1179



168. GI/MS 5 inch Bolt & Nut

Rating: -
Complies with: Eskom
Product Group: BBE
Part Number: BBLM-1180



169. Clamp

Rating: -
Complies with: Eskom
Product Group: BBE
Part Number: BBLM-1181

**Line Product Catalog
(OH & UG Material)**


Tools



170. GI Wire



171. Earth Spiral



172. Guy Rod



173. GOS Operating Angle



174. 8 KN Screen



**175. HT & LT Top
Supporter**



176. GI Horizontal Angle



177. MS Horizontal Angle

Line Product Catalog (OH & UG Material)

Tools



178. Signs

Rating: -
Material: ABBLMuniu
Description: m. Danger
150x150x0.5mm fuse &
transformer signs.
Complies with: D-DT-3202
Product Group: BBE
Part Number: BBLM-1170



179. GOS – 200A/400A

Rating: -
Complies with: Eskom
Product Group: BBE
Part Number: BBLM-1172



BLUEBERRY

Innovations Infinity.....



THANK YOU

TALK TO US



080-67169104



91+ 9901217686



blueberry@blueberryinc.in



blueberry.incorpo@gmail.com



www.blueberryinc.in