



STREET LIGHT POLES CATALOGUE

2026-27



INTRODUCTION

Message from the Managing Director/CEO

"It is my privilege to connect with you and reaffirm our unwavering commitment to delivering exceptional quality built on a **decade of experience and expertise**. I am pleased to present our latest brochure, which highlights the **comprehensive range of electrical products and services** offered by our esteemed organization.


I take great pride in the **superior quality, innovation, and consistency** that define our work. In today's fast-evolving world, we recognize the critical importance of reliable, efficient, and future-ready electrical solutions. Leveraging **cutting-edge technology** and **deep industry knowledge**, we strive to address the diverse requirements of our customers across multiple sectors.

This brochure provides a detailed overview of our **product portfolio**, featuring state-of-the-art **electrical equipment**, energy-efficient solutions, and customized services tailored to meet specific **client needs**. Each offering has been carefully curated to reflect the latest advancements in the industry, ensuring optimal performance, durability, and long-term value.

Our highly **skilled team** remains dedicated to delivering **exceptional customer service and dependable technical support**. We believe in building **long-term partnerships** founded on trust, transparency, and shared success. As you explore our completed projects—from residential and commercial developments to **large-scale industrial installations**—you will see our proven capability to consistently exceed expectations.

I extend my sincere gratitude to **our valued customers** for their continued trust and support. Your feedback and collaboration have been instrumental in our growth and success. We invite you to explore the possibilities offered by our **Street Light Poles and electrical solutions**. Whether you seek reliable products, innovative designs, or expert guidance, our team is ready to support you at every stage.


Thank you for considering us as your preferred **electrical partner**. We look forward to serving you and surpassing your expectations."



Services we Provide




Our comprehensive range of services includes temporary power supply, electrical equipment supply and installation, maintenance, liaising works to all departments approvals and consultation ensuring safe and efficient electrical systems for our clients and impactful approach that aligns with the specific needs and goals of each client.





**ILLUMINATE
EXCELLENCE
WITH
V D BLUEBERRY
STREET LIGHTS**





Post Top




Model	Wattage
BBE241002	70w
Material: Aluminium/ Mild steel	

Euro 1 Post Top



Euro 2 Post Top

Model	Wattage
BBE241003	70w
Material: Aluminium/ Mild steel	



- High strength die-cast aluminum alloy housing, High transparent tempered glass cover, High strength impact resistance.
- The pervious to light cover is fixed by screws with high reliability and good sealing performance, making the lamp water proof to IP65
- Load lightning protection device, lightning protection level up to 10kV

Pole & Post Top

Sparkle Pole



Model	Height
BBE241004	2.4mtr
BBE241005	3mtr
BBE241006	3.6mtr
BBE241007	4.5mtr
Material: Aluminium/ MS	

Fair Post Top



Model	Wattage
BBE241008	50w
BBE241009	70w
Material: Aluminium	



Model	Wattage
BBE241010	50w
Material: Aluminium Casting	



Fungus post top



Model	Wattage
BBE241011	50w
BBE241012	75w
BBE241013	150w
Material: Aluminium	

Post Top

Musketeer Post Top

Model	Wattage
BBE241014	75w
	150W
Material: Aluminium Casting	



Totem Post Top

Model	Wattage
BBE241015	25w
	50w
Material: Aluminium Casting	



Top Trio Post

Model	Wattage
BBE241016	60w
Material: Aluminium Casting	



Indigo Post Top

Model	Wattage
BBE241017	50w
Material: Aluminium	



Shimmer Post Top

Model	Wattage
BBE241018	50w
Material: Aluminium	



Zydrum Post Top

Model	Wattage
BBE241019	30w
Material: Aluminium	



Vivid Post Top

Model	Wattage
BBE241020	50w
Material: Aluminium	




Milleno Post Top

Model	Wattage
BBE241021	70w
Material: Aluminium	




Power Pole Light


Model	Height
BBE241022	3mtr
BBE241023	4mtr
BBE241024	5mtr
Material: Mild Steel	



Headway Pole Light




Evolv Small




Model	Height
BBE241025	3mtr
BBE241026	4mtr
BBE241027	5mtr
Material: Mild Steel	


Chillin Pole Light



Single Arm	
Model	Height
BBE241028	3mtr
BBE241029	4mtr
BBE241030	5mtr
Material: Mild Steel	




Double Arm	
Model	Height
BBE241031	3mtr
BBE241032	4mtr
BBE241033	6mtr
Material: Mild Steel	



Scorch Pole Light

Model	Height
BBE241034	3mtr
BBE241035	4mtr
BBE241036	5mtr

Material: Mild Steel






Tropes Pole Light

Boat Pole Light


Model	Height
BBE241037	3mtr
BBE241038	4mtr
Material: Mild Steel	

Model	Height
BBE241039	3mtr
BBE241040	4mtr
BBE241041	5mtr
Material: Mild Steel	




Demon Pole Light

Model	Height
BBE241042	5mtr
BBE241043	6mtr
BBE241044	7mtr
Material: Mild Steel	



Minuta Pole Light


Model	Height
BBE241050	4mtr
BBE241051	5mtr
BBE241052	6mtr
Material: Mild Steel	



Hinder Pole Light

Model	Height
BBE241053	4mtr
BBE241054	5mtr
BBE241055	6mtr
Material: Mild Steel	

Double Arm Led Pole






Orelli Pole Light

Mermaid Pole Light

Single Arm	
Model	Height
BBE241060	3mtr
BBE241061	4mtr
BBE241062	5mtr
Material: Mild Steel	

Double Arm	
Model	Height
BBE241063	3mtr
BBE241064	4mtr
BBE241065	5mtr
Material: Mild Steel	


Model	Height
BBE241066	3mtr
BBE241067	4mtr
Material: Mild Steel	



Wave Pole 1 and 2

Mode	Height
BBE241068	3mtr
BBE241069	3.6mtr
Material: Mild Steel	


Model	Height
BBE241070	3mtr
BBE241071	3.6mtr
Material: Mild Steel	



Wave Pole 3 and 4

Model	Height
BBE241072	3mtr
BBE241073	3.6mtr
Material: Mild Steel	


Model	Height
BBE241074	3mtr
BBE241075	3.6mtr
Material: Mild Steel	



Sun Pole Light 1 & 2

Model	Height
BBE241076	3mtr
BBE241077	4mtr
BBE241078	5mtr
Material: Mild Steel	

Model	Height
BBE241079	4mtr
BBE241080	5mtr
BBE241081	6mtr
Material: Mild Steel	





Orelli Pole Light

Mermaid Pole Light

Model	Height
BBE241082	4mtr
BBE241083	5mtr
BBE241084	6mtr
Material: Mild Steel	


Model	Height
BBE241085	3mtr
BBE241086	4mtr
Material: Mild Steel	



Fiesto Pole Light


Model	Height
BBE241087	3mtr
BBE241088	4mtr

Material: Mild Steel





Star Pole Light

Model	Height
BBE241287	3mtr
BBE241288	4mtr
Material: Mild Steel	



Quadra Head Tower Light

Model	Height
BBE241289	3mtr
BBE241290	4mtr
Material: Mild Steel	




360° High Mast Light

Model	Height
BBE241291	3mtr
BBE241292	4mtr
Material: Mild Steel	




Arc Beam High Mast Light

Model	Height
BBE241293	3mtr
BBE241294	4mtr
Material: Mild Steel	




CLASSIC AREA Mast Light

Model	Height
BBE241295	3mtr
BBE241296	4mtr
Material: Mild Steel	



Sport Diminutive Mast Light


Model	Height
BBE241297	3mtr
BBE241298	4mtr
Material: Mild Steel	



Dual Ornamental Arc Light Pole



Model	Height
BBE241299	300mm
BBE241300	700mm

Material: Mild Steel



Artistic Dual Arc Light Pole


Model	Height
BBE241301	3mtr
BBE241302	7mtr
Material: Mild Steel	



Dual Arc Designer Light Pole

Model	Height
BBE241303	3mtr
BBE241304	7mtr

Material: Mild Steel



Ornate Dual Light Pole


Model	Height
BBE241305	3mtr
BBE241306	7mtr

Material: Mild Steel





Sculpted Ornamental Light Pole

Model	Height
BBE241307	3mtr
BBE241308	7mtr
Material: Mild Steel	




Flowing Ornamental Light Pole

Model	Height
BBE241309	3mtr
BBE241310	7mtr
Material: Mild Steel	



Linear Frame Light Pole

Model	Height
BBE241311	3mtr
BBE241312	7mtr
Material: Mild Steel	



Triple Wave Light Pole


Model	Height
BBE241313	3mtr
BBE241314	7mtr
Material: Mild Steel	



Lattice Light Pole

Model	Height
BBE241315	3mtr
BBE241316	7mtr

Material: Mild Steel



Sculptural Spiral Light Pole

Model	Height
BBE241317	3mtr
BBE241318	7mtr

Material: Mild Steel




Top View



Curved Cone Light Pole



Model	Height
BBE241319	3mtr
BBE241320	7mtr
Material: Mild Steel	



Loop Light Pole


Model	Height
BBE241321	3mtr
BBE241322	7mtr

Material: Mild Steel



Graceful Arc Pole


Model	Height
BBE241323	3mtr
BBE241324	7mtr
Material: Mild Steel	



Classic Crossbar Light Pole

Model	Height
BBE241325	3mtr
BBE241326	7mtr


Material: Mild Steel



Dual Light Pole

Model	Height
BBE241327	3mtr
BBE241328	7mtr


Material: Mild Steel



Double Arm Light Pole


Model	Height
BBE241329	3mtr
BBE241330	7mtr

Material: Mild Steel



Double-Arm Hanging Light Pole

Model	Height
BBE241331	3mtr
BBE241332	7mtr
Material: Mild Steel	




Single Duo Sleek Arm Light Pole

Model	Height
BBE241333	3mtr
BBE241334	7mtr

Material: Mild Steel




Top View




Single-Arm Perp Light Pole

Model	Height
BBE241335	3mtr
BBE241336	7mtr

Material: Mild Steel




Top View




Slimline Light Pole

Model	Height
BBE241337	3mtr
BBE241338	7mtr

Material: Mild Steel



Top View



Double Arm Staggered Light Pole

Model	Height
BBE241339	3mtr
BBE241340	7mtr

Material: Mild Steel





Top View



Dual Diamond Light Pole


Model	Height
BBE241341	3mtr
BBE241342	7mtr

Material: Mild Steel





Cross Diamond Light Pole

Model	Height
BBE241343	3mtr
BBE241344	7mtr
Material: Mild Steel	




Top View




Lampara Pole Light

Model	Height
BBE241089	4mtr
BBE241090	5mtr
BBE241091	6mtr
Material: Mild Steel	



Ziofy Pole Light

Model	Height
BBE241092	4mtr
BBE241093	5mtr
BBE241094	6mtr
Material: Mild Steel	





Wind Pole Light

Grasp Pole Light

Model	Height
BBE241095	3mtr
BBE241096	3.5mtr
Material: Mild Steel	

Pipe Dia :76mm		
Model	Height	Wattage
BBE241097	3mtr	20w
BBE241098		40w
Material: Mild Steel		


Pipe Dia :100mm		
Model	Height	Wattage
BBE241099	3mtr	20w
BBE241100		40w
Material: Mild Steel		



Rapper Pole Light

Model	Height
BBE241101	2.4mtr
BBE241102	3mtr
BBE241103	3.6mtr
Material: Mild Steel	

P.C. Tube




Crystal Pole Light

A


Model	Height
BBE241104	2.4mtr
BBE241105	3mtr
BBE241106	3.6mtr
Material: Mild Steel	

Model	Height
BBE241107	2.4mtr
BBE241108	3mtr
BBE241109	3.6mtr
Material: Mild Steel	




Resple Pole Light

Model	Height
BBE241110	4mtr
BBE241111	5mtr
Material: Mild Steel	



Cronom Pole Light

Model	Height
BBE241112	2.4mtr
BBE241113	3mtr
BBE241114	3.6mtr
Material: Mild Steel	





Snow Pole Light

Spirit Pole Light

PipeDia :100X100	
Model	Height
BBE241124	2.5mtr
BBE241125	3mtr
BBE241126	3.6mtr
Material: Mild Steel	

PipeDia :150X150	
Model	Height
BBE241127	2.5mtr
BBE241128	3mtr
BBE241129	3.6mtr
Material: Mild Steel	

Model	Height
BBE241130	3mtr
Material: Mild Steel	





Wealth Pole Light

Xanto Pole Light

Model	Height
BBE241131	3mtr
Material: Mild Steel	

Model	Height
BBE241132	3mtr
Material: Mild Steel	





Stranger Pole Light

X-III

Model	Height
BBE241139	3mtr
BBE241140	3.6mtr
BBE241141	4mtr
Material: Mild Steel	

X-IV

Model	Height
BBE241142	3mtr
BBE241143	3.6mtr
BBE241144	4mtr
Material: Mild Steel	




Stranger Pole Light

X-V

Model	Height	Price
BBE241145	3mtr	₹ 11000
BBE241146	4mtr	₹ 13200
BBE241147	6mtr	₹ 22000


Material: Mild Steel (customized powered color coating)



X-VI

Model	Height	Price
BBE241148	3mtr	₹ 11000
BBE241149	4mtr	₹ 13200
BBE241150	6mtr	₹ 22000



Material: Mild Steel (customized powered color coating)



Stranger PoleX-VII


X-VII

Model	Height
BBE241151	3mtr
BBE241152	3.6mtr
BBE241153	4mtr
Material: Mild Steel	





WINDSOR Series

PipeDia :100X100	
Model	Height
BBE241154	3mtr
BBE241155	4mtr
BBE241156	5mtr
Material: Mild Steel	



Model	Wattage
BBE241157	30w
	60w
Single Arm	

Model	Wattage
BBE241158	30w
	60w
Single Arm	




Model	Wattage
BBE241159	2x30w
	2x60w
Single Arm	

Model	Wattage
BBE241160	2x30w
	2x60w
Single Arm	



Model	Wattage
BBE241161	2x30w
	2x60w
Double Arm	



Model	Wattage
BBE241162	2x30w
	2x60w
Double Arm	



Model	Wattage
BBE241163	4x30w
	4x60w
Double Arm	

Model	Wattage
BBE241164	4x30w
	4x60w
Double Arm	

Model	Wattage
BBE241165	30w
	60w
Single Arm	

Model	Wattage
BBE241166	4x30w
	4x60w
Double Arm	

Model	Wattage
BBE241167	8x30w
	8x60w
Double Arm	

Model	Wattage
BBE241168	2x30w
	2x60w
Single Arm	

Model	Wattage
BBE241169	2x30w
	2x60w
Single Arm	


Model	Wattage
BBE241170	4x30w
	4x60w
Double Arm	

Rebel 1 Pole

Rebel 2 Pole


Single Arm	
Model	Height
BBE241171	3mtr
BBE241172	3.6mtr
BBE241173	4.6mtr
Material: Mild Steel	

Double Arm	
Model	Height
BBE241174	3mtr
BBE241175	3.6mtr
BBE241176	4.6mtr
Material: Mild Steel	




Rebel 1 Pole

Model	Height
BBE241177	3mtr
BBE241178	4mtr
BBE241179	5mtr
Material: Mild Steel	



Rebel 2 Pole


Model	Height
BBE241180	4mtr
BBE241181	5mtr
BBE241182	6mtr
Material: Mild Steel	




Curve Pole Light

Crush Pole Light

Model	Height
BBE241183	3mtr
BBE241184	3.6mtr
BBE241185	4.5mtr
Material: Mild Steel	




Model	Height
BBE241186	3mtr
BBE241187	3.6mtr
BBE241188	4.5mtr
Material: Mild Steel	




Virgin Pole Light

Model	Height
BBE241189	3mtr
BBE241190	3.6mtr
BBE241191	4.5mtr
Material: Mild Steel	





Genus Pole Light

Model	Height
BBE241410	4mtr
BBE241411	5mtr
BBE241412	6mtr
Material: Mild Steel	




Spring Pole Light

Model	Height
BBE241194	3mtr
BBE241195	3.6mtr
BBE241196	4.5mtr
Material: Mild Steel	



Radiant Pole Light

Model	Height
BBE241197	3mtr
BBE241198	4mtr
BBE241199	5mtr
Material: Mild Steel	





Robert Pole Light


Moral Pole Light

Model	Height
BBE241200	3mtr
BBE241201	4mtr
BBE241202	5mtr
Material: Mild Steel	

Model	Height
BBE241203	3mtr
BBE241204	4mtr
BBE241205	5mtr
Material: Mild Steel	









Sunset land Pole Light

Model	Height
BBE241206	5mtr
BBE241207	6mtr
BBE241208	7mtr
Material: Mild Steel	



Decorative Head	
Model: BBE241480	BBE241481
Dimension: D 450 / H 340 / PD 38	D 600 / H 00 / PD 38mm
B-22 / 30w / 60w	B-22 / 70w / 100w
Finish: Alluminum + Acrylic	
Body Colour : Black / Grey	


Fancy Pole Light

Model	Height
BBE241209	5mtr
BBE241210	6mtr
BBE241211	7mtr
Material: Mild Steel	

Opera Doom

Model: BBE241482
 Dimension: D 518 / H 320
 B-22 / 30w / 60w

Finish: Alluminum + Acrylic
 Body Colour : Black / Grey



Grace Pole Light




Single Arm	
Model	Height
BBE241212	5mtr
BBE241213	6mtr
BBE241214	7mtr
Material: Mild Steel	

Double Arm	
Model	Height
BBE241215	5mtr
BBE241216	6mtr
BBE241217	7mtr
Material: Mild Steel	

Decorative Head

Model: BBE241483	B B E24 14 84
Dimension: D 450 / H 340 / PD 38	D 600 / H 00 / PD 38mm
B-22 / 30w / 60w	B-22 / 70w / 100w

Finish: Alluminum/MS + Acrylic/
Body Colour : Black / Grey


Tiger PoleLight

Model	Height
BBE241218	4mtr
BBE241219	5mtr
BBE241220	6mtr
Material: Mild Steel	

Decorative Head


Model: BBE241485	B B E24 14 86
Dimension: D 450 / H 340 / PD 38	D 600 / H 00 / PD 38mm
B-22 / 30w / 60w	B-22 / 70w / 100w
8000 / 9500	8500 / 14000 / 18000

Finish: Alluminum / MS+ Acrylic
Body Colour : Black / Grey



Fruiting Pole Light

Model	Height
BBE241221	4mtr
BBE241222	5mtr
BBE241223	6mtr
Material: Mild Steel	



Techno Pole Light

Model	Height
BBE241224	4mtr
BBE241225	5mtr
BBE241226	6mtr
Material: Mild Steel	





Royal Pole Light

Cosmetic Pole Light

Model	Height
BBE241227	3mtr
BBE241228	4mtr
BBE241229	5mtr
Material: Mild Steel	


Single Arm	
Model	Height
BBE241230	3mtr
BBE241231	3.6mtr
BBE241232	4.5mtr
Material: Mild Steel	

Double Arm	
Model	Height
BBE241233	3mtr
BBE241234	3.6mtr
BBE241235	4.5mtr
Material: Mild Steel	




Vagina Pole Light

Model	Height
BBE241236	5mtr
BBE241237	6mtr
BBE241238	7mtr
Material: Mild Steel	



Calm Pole Light

Model	Height
BBE241239	4mtr
BBE241240	5mtr
BBE241241	6mtr
Material: Mild Steel	



Sea Pole Light


Model	Height
BBE241245	5mtr
BBE241246	6mtr
BBE241247	7mtr
Material: Mild Steel	



Decorative Head


Model: BBE241495	BBE241496
Dimension: D 450 / H 340 / PD 38	D 600 / H 00 / PD 38mm
B-22 / 30w / 60w	B-22 / 70w / 100w

Finish: Alluminum / MS+ Acrylic
 Body Colour : Black / Grey



Orbrix Pole Light

Model	Height
BBE241248	3mtr
BBE241249	4mtr
BBE241250	5mtr
Material: Mild Steel	



Famous Pole Light

Model	Height
BBE241251	3mtr
BBE241252	4mtr
BBE241253	5mtr
Material: Mild Steel	



Intelligent Pole Light

Model	Height
BBE241254	3mtr
BBE241255	4mtr
BBE241256	5mtr
Material: Mild Steel	



Evident Pole Light

Model	Height
BBE241257	3mtr
BBE241258	4mtr
BBE241259	5mtr
Material: Mild Steel	




Bunch Pole Light

Model	Height
BBE241260	4mtr
BBE241261	5mtr
BBE241262	6mtr
Material: Mild Steel	



Hearth Pole Light

Model	Height
BBE241263	4mtr
BBE241264	5mtr
BBE241265	6mtr
Material: Mild Steel	



Icon Pole Light

Model	Height
BBE241266	3mtr
BBE241267	4mtr
BBE241268	5mtr
Material: Mild Steel	



Creative Pole Light

Model	Height
BBE241269	3mtr
BBE241270	4mtr
BBE241271	5mtr
Material: Mild Steel	



Worm Pole Light

Model	Height
BBE241272	4mtr
BBE241273	5mtr
BBE241274	6mtr
Material: Mild Steel	




Cheer Pole Light

Model	Height
BBE241275	3mtr
BBE241276	4mtr
BBE241277	5mtr
Material: Mild Steel	




Hearth Pole Light

Model	Height
BBE241278	4mtr
BBE241279	5mtr
BBE241280	6mtr
Material: Mild Steel	



Icon Pole Light

Model	Height
BBE241281	3mtr
BBE241282	4mtr
BBE241283	5mtr
Material: Mild Steel	



Reveal Pole Light

Model	Height
BBE241284	4mtr
BBE241285	5mtr
BBE241286	6mtr
Material: Mild Steel	



Intent Pole Light

Model	Height
BBE241287	4mtr
BBE241288	5mtr
BBE241289	6mtr
Material: Mild Steel	




Grand Pole Light

Model	Height
BBE241290	4mtr
BBE241291	5mtr
BBE241292	6mtr
Material: Mild Steel	



Leader 1 Pole

Model	Height
BBE241293	5mtr
BBE241294	6mtr
BBE241295	7mtr
Material: Mild Steel	



Leader 2 Pole

Model	Height
BBE241296	5mtr
BBE241297	6mtr
BBE241298	7mtr
Material: Mild Steel	



Diamond Pole Light

Model	Height
BBE241299	4mtr
BBE241300	5mtr
BBE241301	6mtr
Material: Mild Steel	



Luster Pole Light

Model	Height
BBE241302	4mtr
BBE241303	5mtr
BBE241304	6mtr
Material: Mild Steel	



Elephant Pole 1

Model	Height
BBE241305	2.4mtr
BBE241306	3mtr
BBE241307	3.6mtr
Material: Mild Steel	




EElepphaanntt

Model	Height
BBE241308	2.4mtr
BBE241309	3mtr
BBE241310	3.6mtr
Material: Mild Steel	



Behold Pole Light

Model	Height
BBE241311	5mtr
BBE241312	6mtr
Material: Mild Steel	




Rubal PoleLight

Model	Height
BBE241313	4mtr
BBE241314	5mtr
BBE241315	6mtr
Material: Mild Steel	



Illuminate Pole Light

Model	Height
BBE241316	4mtr
BBE241317	5mtr
BBE241318	6mtr
Material: Mild Steel	



Bloom Pole Light

Model	Height
BBE241319	4mtr
BBE241320	5mtr
BBE241321	6mtr
Material: Mild Steel	




Firing Pole Light

Model	Height
BBE241322	4mtr
BBE241323	5mtr
BBE241324	6mtr
Material: Mild Steel	



Italy Pole

Model	Height
BBE241325	4mtr
BBE241326	5mtr
BBE241327	6mtr
Material: Mild Steel	



Dense Single Arm

Model	Height
BBE241328	4mtr
BBE241329	5mtr
BBE241330	6mtr
Material: Mild Steel	



Fountain Pole

Model	Height
BBE241331	4mtr
BBE241332	5mtr
BBE241333	6mtr
Material: Mild Steel	



Cracker Pole

Single Arm	
Model	Height
BBE241334	5mtr
BBE241335	6mtr
BBE241336	7mtr
Material: Mild Steel	
Double Arm	
Model	Height
BBE241337	5mtr
BBE241338	6mtr
BBE241339	7mtr
Material: Mild Steel	




Freeway Pole

Model	Height
BBE241340	5mtr
BBE241341	6mtr
BBE241342	7mtr
Material: Mild Steel	



Horse Pole Light

Model	Height
BBE241343	5mtr
BBE241344	6mtr
BBE241345	7mtr
Material: Mild Steel	



Dense Single Arm Pole

Model	Height
BBE241346	5mtr
BBE241347	6mtr
BBE241348	7mtr
Material: Mild Steel	



Dense Double Arm

Model	Pole
BBE241349	5mtr
BBE241350	6mtr
BBE241351	7mtr
Material: Mild Steel	




Dense Double Arm Pole

Model	Height
BBE241352	5mtr
BBE241353	6mtr
BBE241354	7mtr
Material: Mild Steel	



Octopus Pole Light

Model	Height
BBE241360	4mtr
BBE241361	5mtr
BBE241362	6mtr
Material: Mild Steel	




Cylinder Cone Pole Light

Model	Height
BBE241363	4mtr
BBE241364	5mtr
BBE241365	6mtr
Material: Mild Steel	




VueRay Pole Light

Model	Height
BBE241366	3mtr
BBE241367	4mtr
BBE241368	5mtr
Material: Mild Steel	



Devil Pole Light

Model	Height
BBE241369	4mtr
BBE241370	5mtr
BBE241371	6mtr
Material: Mild Steel	




Remodel Pole Light

Model	Height
BBE241372	4mtr
BBE241373	5mtr
BBE241374	6mtr
Material: Mild Steel	



Escape Pole Light

Model	Height
BBE241375	4mtr
BBE241376	5mtr
BBE241377	6mtr
Material: Mild Steel	



Nature Pole Light

Model	Height
BBE241378	4mtr
BBE241379	5mtr
BBE241380	6mtr
Material: Mild Steel	



Climax Pole Light


Model	Height
BBE241381	4mtr
BBE241382	5mtr
BBE241383	6mtr
Material: Mild Steel	



Compass Pole Light

Compass Pole Light

Model	Height
BBE241384	4mtr
BBE241385	5mtr
BBE241386	6mtr
Material: Mild Steel	



Remodel Pole Light

Model	Height
BBE241387	4mtr
BBE241388	5mtr
BBE241389	6mtr
Material: Mild Steel	



Repulse Pole Light

Model	Height
BBE241390	4mtr
BBE241391	5mtr
BBE241392	6mtr
Material: Mild Steel	



Planet Pole Light

Model	Height
BBE241378	4mtr
BBE241379	5mtr
BBE241380	6mtr
Material: Mild Steel	




Shock Pole Light

Model	Height
BBE241396	4mtr
BBE241397	5mtr
BBE241398	6mtr
Material: Mild Steel	



Binary Star Pole Light

Model	Height
BBE241402	4mtr
BBE241403	5mtr
BBE241404	6mtr
Material: Mild Steel	





Core Pole Light

Model	Height
BBE241415	3mtr
BBE241416	4mtr
Material: Mild Steel	

Tight Pole Light

Model	Height
BBE241417	3mtr
BBE241418	4mtr
Material: Mild Steel	



Carriage 1

Model	Height
BBE241419	2.4mtr
BBE241420	3mtr
BBE241421	3.6mtr
Material: Mild Steel	


Carriage 2

Model	Height
BBE241422	2.4mtr
BBE241423	3mtr
BBE241424	3.6mtr
Material: Mild Steel	




Paradise Pole Light

Model	Height
BBE241425	5mtr
BBE241426	6mtr
BBE241427	7mtr
Material: Mild Steel	



Tricorn Pole Light

Model	Height
BBE241428	4mtr
BBE241429	5mtr
BBE241430	6mtr
Material: Mild Steel	



Spectacle Pole 1

Model	Height
BBE241431	5mtr
BBE241432	6mtr
BBE241433	7mtr
Material: Mild Steel	


Spectacle Pole 2

Model	Height
BBE241434	4mtr
BBE241435	5mtr
BBE241436	6mtr
Material: Mild Steel	



Vessel Lantern

Model	Height
BBE241437	2.4mtr
BBE241438	3mtr
BBE241439	3.6mtr
Material: Mild Steel	




Emperor 2 Pole

Model	Height
BBE241440	2.4mtr
BBE241441	3mtr
BBE241442	3.6mtr
Material: Mild Steel	




Antares Pole Light

Model	Height
BBE241455	4mtr
BBE241456	5mtr
BBE241457	6mtr
Material: Mild Steel	



Decor Pole Light

Model	Height
BBE241458	4mtr
BBE241459	5mtr
BBE241460	6mtr
Material: Mild Steel	



Watch Pole

Model	Height
BBE241461	3mtr
BBE241462	3.6mtr
BBE241463	4.6mtr
Material: Mild Steel	



Dorians Pole

Model	Height
BBE241464	3mtr
BBE241465	3.6mtr
BBE241466	4.6mtr
Material: Mild Steel	




Botany Solar Pole

Rock Solar Pole Light

Model	Height
BBE241467	4mtr
BBE241468	5mtr
Material: Mild Steel	

Model	Height
BBE241469	4mtr
BBE241470	5mtr
Material: Mild Steel	





Botany Solar Pole

Rock Solar Pole Light Height

Model	Height
BBE241471	2.4mtr
BBE241472	3mtr
Material: Mild Steel	

Model	Height
BBE241473	3mtr
BBE241474	3.6mtr
BBE241475	4.5mtr
Material: Aluminium	



CAST IRON STREET LIGHTS

Garden Light Pole

Model	Height
BBECI101	2ft - 20ft
Material: IRON	



Ornamental Light Pole

Model	Height
BBECI102	10ft
Material: Aluminium	



CAST IRON STREET LIGHTS

Single Artistic Pole Lights

Model	Height
BBECI103	2ft - 20ft
Material: CAST IRON	



Triartistic Pole Lights

Model	Height
BBECI104	2ft - 20ft
Material: CAST IRON	



CAST IRON STREET LIGHTS

Cast Iron Garden Lamp Post

Model	Height
BBECI105	2ft -20ft
Material: Cast Iron Grey	



Cast Iron Lamp Pole

Model	Height
BBECI106	2ft -20ft
Material: Cast Iron + ms	



CAST IRON STREET LIGHTS

Dual Lamp Post

Model	Height
BBECI107	3mtr - 9mtr
Material: Cast Iron Grey	



Cast Iron Single Lamp Pole

Model	Height
BBECI108	9mtr
Material: Cast Iron Grey	



CAST IRON STREET LIGHTS

Cast Iron Garden Lamp Post

Model	Height
BBECI109	3ft
Material: Cast Iron Grey	



Cast Iron Lamp Pole

Model	Height
BBECI110	4ft
Material: Cast Iron Grey	



Wall Brackets

Train Wreck Wall Bracket

Model

BBE241476 Material:

Mild Steel



Voxon Wall Bracket

Model

BBE241477

Material: Mild Steel



Section Wall Bracket

Model

BBE241478

Material: Mild Steel



Voxon Mini Wall Bracket


Model

BBE241479




Material: Mild Steel



Foundation set



STREET LIGHT POLE FOUNDATION SET



Cealing lights

RIMLESS PANEL LIGHT

Model BBE261001

Material:Aluminum Die Casting

Input Voltage: 90V 300V



PANEL LIGHT

Model BBE261002

Material:Aluminum Die Casting

Input Voltage: 90V 300V



ZOOMER SPOT LIGHT

Model BBE261003

Material:Aluminum Die Casting

Input Voltage: 90V 300V



TILT SPOT LIGHT

Model BBE261004

Material:Aluminum Die Casting

Input Voltage: 90V 300V



Cealing lights

CURVE SPOT LIGHT

Model BBE261005

Material:Aluminum Die Casting

Input Voltage: 90V 300V



MOVABLE SPOT LIGHT

Model BBE261006

Material:Aluminum Die Casting

Input Voltage: 90V 300V



DELTA SPOT LIGHT

Model BBE261007

Material:Aluminum Die Casting

Input Voltage: 90V 300V



2X2 BACK LED PANEL LIGHT

Model BBE261008

Material:Aluminum Die Casting

Input Voltage: 90V 300V



Cealing lights

2X2 BACK LED SURFACE LIGHT

Model BBE261009

Material:Aluminum Die Casting

Input Voltage: 90V 300V



RING LIGHT

Model BBE261010

Material:Aluminum Die Casting

Input Voltage: 90V 300V




LINEAR LIGHT

Model BBE261011

Material:Aluminum Die Casting

Input Voltage: 90V 300V



SPIKE LIGHT

Model BBE261012

Material:Aluminum Die Casting

Input Voltage: 90V 300V



Cealing lights

ARM TRACK LIGHT

Model BBE261013

Material:Aluminum Die Casting

Input Voltage: 90V 300V



SPOTTER CONCEALED TRACK LIGHT

Model BBE261014

Material:Aluminum Die Casting

Input Voltage: 90V 300V



CAMERON TRACK LIGHT

Model BBE261015

Material:Aluminum Die Casting

Input Voltage: 90V 300V



CANNOPY HANGING LIGHT

Model BBE261016

Material:Aluminum Die Casting

Input Voltage: 90V 300V



Cealing lights

HIGHBAY LIGHT

Model BBE261017

Material:Aluminum Die Casting

Input Voltage: 90V 300V



SQUARE SURFACE LIGHT

Model BBE261018

Material:Aluminum Die Casting

Input Voltage: 90V 300V



RETRO TRACK LIGHT

Model BBE261019

Material:Aluminum Die Casting

Input Voltage: 90V 300V



CANNOPY HANGING LIGHT

Model BBE261020

Material:Aluminum Die Casting

Input Voltage: 90V 300V





Our Execution Team

At **BLUEBERRY**, our execution team is a driving force behind our ability to deliver industry-leading electrical solutions. With years of expertise and a deep commitment to quality, safety, and efficiency, our team embodies the values that define **BLUEBERRY** as a trusted name in the electrical industry.

Skilled Workforce

Comprehensive Project Management

From initial planning to final commissioning, our execution team manages every aspect of a project. Leveraging advanced project management tools and methodologies, they ensure seamless coordination, timely delivery, and adherence to the highest safety and quality standards.

Cutting-Edge Tools and Technology

We understand that great outcomes require more than just expertise—it also takes the right equipment. Our team is equipped with state-of-the-art tools, testing devices, and modern machinery, enabling them to tackle complex projects with ease and accuracy.

Fleet of Vehicles

Our robust fleet of vehicles is strategically deployed to provide swift and efficient support across project sites. This logistical advantage allows us to maintain continuity and deliver exceptional results on time, even for large-scale or multi-location projects.

Expertise Across Multiple Domains

- ***Electrical Installations:*** From new installations to system upgrades, our team ensures functionality, compliance, and long-term reliability.
- ***Maintenance and Repairs:*** Comprehensive troubleshooting, preventive maintenance, and prompt repair services to minimize downtime.
- ***Construction Projects:*** Collaborating with clients and contractors to integrate robust electrical systems into new construction.
- ***Manufacturing and Customization:*** Our team supports the manufacturing arm by ensuring every product meets stringent quality benchmarks.


Commitment to Excellence


As a licensed Government Class-1 Contractor with super grade, our execution team strictly adheres to industry regulations and safety protocols. Their commitment to excellence is reflected in their ability to handle complex challenges, deliver innovative solutions, and surpass client expectations.





Thank you

Address

 Factory & Corporate office: # 152/2 Deepa Arcade, Hoskote-Hosur Road, NH 648, K Mallasandra Bengaluru - 560 067

 Regional Office-Hosakote: #G005, Blueberry, Hoskote- Hosur Road ,NH 648, Hoskote(T), Bengaluru-562 114

 Regional Office -Mysuru: No.240, 80 feet Road, Lal Bahadur Shastri Layout, Mysuru-570 028

 Blueberry Commerio: Near Bhaktharahalli Gate, Hosakote-Hosur Road, NH 648 Hosakote, Bengaluru - 560 067



Scan to know more



+91 98450 04586/ +91 99012 87686/ +91 99012 17686



blueberry@blueberryinc.in
blueberrysales@blueberryinc.in



www.blueberryinc.in